ASIAN CROP CARE

CROP WISE UTILISATION OF OUR PRODUCTS

CHILLI

ASIAN

ASIAN 29 YEARS 1996-2025

Asian Crop care

Bio organic Stimulants

CHILLI
CROP MANAGEMENT

Preparation of Land (Before Sowing) :

✓Broadcasting of 50KG **ASIANGOLD** (CMS) per Acre to the soil makes the soil more fertile

✓Broadcasting of **HI-ZINC** along with **MELIAZA- G** will leads to better results of the crop

Seed Treatment (Before Sowing) :

✓ Using of **OXYGEN** or **TRIPLE PLUS** for seed treatment will helps in improving the growth rate

After Sowing:

10-15 Days:

- Spraying of **BLOOMEX-N** will helps the plant for growing better and resulting in good yields
- Spraying of **PRIMEPLUS** (250ml/acre) helps the crop to fight against Pest
- Usage of Carbendazim 12% + Mancozeb 63% Wp (**ASISAFF**) is recommended for Fungus attacks

During 25-30 days:

- Spraying of **A-COTT** (250ml/acre) will fight against many types of pests, mites, along with growth
- for Micronutrient Deficiencies it is recommended to use **Max plus F6**
- **ANTRACOL** can be recommended for fungal attacks

During 45-60 days:

- 50ml per acre of **COBRA-Z** is highly recommended for pest free fields
- Before Flowering, **NANO-Q** spraying ensures the high yield and makes farmer more profitable. (50ml/ acre recommended)

During 50-55 days:

- Spraying of **V CARE GOLD** can be recommended if any virus attack observed.

During 75-90 days:

- Using 250ml of **KRISHAB** will help the plant to fight against mites
- Along with **BIOLIFE-SP** 150gm per Acre can be confidently recommended for better yields

During 100 -120 days:

- If observed any viral attacks ,**V CARE GOLD** is highly recommended along with fungicide (**SPRINT**)
- Spraying **STYLE YIELD BOOSTER** before fruiting will enhances the fruit richness

OUR MICRO NUTRIENT PRODUCTS

BOROSIL – For Boron Deficiency

CHELAZEN - For Zinc Deficiency

MAGIC PLUS – For Magnesium Deficiency

GLOWMIN - Formula- 07

MAX PLUS F6 - Formula 06

MAX PLUS F4 - Formula 04

HI-ZINC/GLOWMIN+- Formula-07 Magnesium Based

FERRAMIN - For Ferrous Deficiency

ZENCON-S – ZINC DEFICIENCY (SOIL APPLICATION)

ZENCON- F – ZINC DEFICIENCY (FOLIAR SPRAY)

MICRO BOOST – Micronutrient Deficiency

FOR DRIP IRRIGATION

During 20 - 25 Days:

- **Water soluble NPK fertilizer in combination of 19:19:19 can be used for sources of Nitrogen, Phosphorous, Potassium and Sodium**

- **MAHASHAKTHI PLUS can be recommended for development of Root zone and good growth of plant**

During 30 - 35 Days:

- **Usage of Mono Ammonium Phosphate 12:61:0 can be recommended. High phosphorous content ensures the high immunity of the crops against unfavorable environmental conditions.**

- **HUMEX PLUS, contains 12% Humic acid which increase the capacity of soils to retain water and essential nutrients.**

During 40 - 50 Days:

- Water soluble NPK fertilizer in combination of **13:40:13** can be used for healthy vegetative growth of plants & for healthy flowering & fruiting
- Deficiencies of micro nutrients can be rectified by using **MAX PLUS** & **BOROSIL**
- **ROOT CARE** can be recommended for development of Root zone and good growth of plant

During 50 - 60 Days:

- Usage of **0:52:34** can be recommended for proper ripening and attractive color formation of fruits. Helps to improves fruit size luster, uniform color, taste of fruit, yield and resistance to adverse weather and pests
- **CYTOZEM PLUS**, can be added to enhance fertility of soil, and boost nutrient availability to plants

During 65-70 days:

- Usage of water-soluble fertilizer **0:52:34** (Potassium Nitrate) with high Potassium and Nitrogen content along with optimal amount of Sodium. This combination is suitable post boom and for physiological maturity of crop.

- Along with **ROOT CARE** 250ml per Acre can be confidently recommended for better yields

During 75-80 days:

- Sulphate of Potash (SOP) **0:0:54** , a water-soluble fertilizer with high potassium and Sulphate Sulphur content ensures strong flower and fruit development.

- Usage of 10Kg per acre of **MARVEL KM** results in high yield and fruit quality along with quantity.

ANY Questions?

Thank you